豆腐機械職人

SINCE 1961

- 整廠規劃設計 Whole Plant Design
- 專業黃豆機械 Best Soyfood Machine
- 客製化機械開發 Custom-made Development

卓越技術・職人風範

SOY YOUR MACHINE - BEAN YOUR WAY

www.tati.com.tw

Since 1961

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

Grinder

Stainless Steel Butterfly Rotary Type Grinder

Model	KGM-100F	KGM-200F	KGM-300F
Capacity	120~150KG Dry Beans/Hour	250~300KG Dry Beans/Hour	350~400KG Dry Beans/Hour

Features

- Cleaning and disassembly-free tools, easy maintenance, low failure, low loss.
- Grinding stone-free, avoids the emery mixing into the soymilk, and reduces the consumption and the destruction puzzles.
- Suitable for high-temperature CIP cleaning program, conform to GMP food sanitary standard.
- Butterfly knife and screen can be changed according to product requirements.

Auto Vertical Type Grinder

Model	KGM-200	KGM-300	KGM-500
Capacity	200KG Dry Beans/Hour	300KG Dry Beans/Hour	500KG Dry Beans/Hour

Features

- Stainless steel polishing machine body, foot platform.
- The grinding plate is made of ceramic or steel grit. Better grinding effect and the high durability.
- Auto soybean feeding device and defoamer adding device (Optional).

Ceramics Stone

TEL : 886-3-362-1848 FAX : 886-3-362-2907 www.tati.com.tw
No.8,Alley 13,Lane 183,Yu-Shan Street Taoyuan Dist,Taoyuan City,Taiwan.

PRINTED WITH SOY INK

Since 1961

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

Cooking

Auto Continuous Cooker (Defoamer-free)

Model	CSC-300-8P
Capacity	300KG Dry Beans/Hour

Features

- Multi-tube boiling designed to improve the taste of soymilk.
- Special steam nozzle design, good effect of diversion boiling soymilk.
- Fully enclosed special design, continuous insulation design to maintain the good quality of soymilk.
- Defomer-free, reduce production costs.

Auto Pressure Cooker

Model	BCS-100	BCS-200	BCS-300
Capacity	100KG Dry Beans/Hour	200KG Dry Beans/Hour	300KG Dry Beans/Hour

Features

- Available for different production with various Brix.
- Special steam nozzle diversion ensures uniform boiling.
- Simple and effortless cover design, easy to open, close and cleaning.
- Boiling pulp temperature can exceed 100 °C, soymilk flavor is better.

Continuous Cooker

Model	CSC-200	CSC-300
Capacity	200KG Dry Beans/Hour	300KG Dry Beans/Hour

Features

- Preheating and boiling design. Suitable for continuous production.
- Vertical type continuous cooking ensures high capacity.
- Inside and outside polishing for cooking tank.CIP cleaning process is applicable.
- Steam proportional valve design, good heating effect and saves steam.

TEL : 886-3-362-1848 FAX : 886-3-362-2907 www.tati.com.tw
No.8,Alley 13,Lane 183,Yu-Shan Street Taoyuan Dist,Taoyuan City,Taiwan.

PRINTED WITH SOY INK

Since 1961

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

Filtering

Roller-High Efficiency Extruding Filter

Model	RSF-300 (Double Rollers) / RSF-400 (Four Rollers)	
Capacity	200~240KG Dry Beans/Hour	400~480KG Dry Beans/Hour

Features

- Special stainless steel double or four rollers filtering design.
- Suitable for high consistency soymilk, apply to soymilk cooking with okara and without okara process.
- Okara is quite dry and the water content lower than 70%.

Bucket High Efficiency Extruding Filter

Model	DSF-100 (Single Tank) /	DSF-200 (Double Tank) /	DSF-300 (Three Tank)
Capacity	100KG Dry Beans/Hour	200KG Dry Beans/Hour	300KG Dry Beans/Hour

Features

- Special double filters design. Easy to disassemble and cleaning.
- Okara water content is about 75% which is a better good solution.

Cone Type Centrifugal Filter

Model	RF-2000L /	RF-3000L
Capacity	6Bx°x200 Liter/hr	6Bx°x300 Liter/hr

Features

- Centrifugal discharging .
- Multi-stage arrange available for re-cycling.
- Ensure simple cleaning requirement.
- Incorporate with residue transport system.

TEL : 886-3-362-1848 FAX : 886-3-362-2907 www.tati.com.tw
No.8,Alley 13,Lane 183,Yu-Shan Street Taoyuan Dist,Taoyuan City,Taiwan.

PRINTED WITH SOY INK

Since 1961

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

Coagulating

Multi-Function Coagulating-Machine (Bottom discharge design)

Model	ABT-80
Capacity	80 Boards Tofu/Hour

Features

- Automatic quantitative, stirring, breaking, bucket scraping and pouring.
- Bottom discharge design to reduce breaking.
- Auto silken tofu filling device (optional).

Multi-Function Coagulating-Machine (Pouring tank design)

Model	ACS-100 / ACS-200 / ACS-300		
Capacity	100KG Dry Beans/Hour	200KG Dry Beans/Hour	300KG Dry Beans/Hour

Features

- Automatic quantitative, stirring, breaking, bucket scraping and pouring.
- Pouring and mold-in device.
- Auto silken tofu filling device (optional).

TEL : 886-3-362-1848 FAX : 886-3-362-2907 www.tati.com.tw
No.8,Alley 13,Lane 183,Yu-Shan Street Taoyuan Dist,Taoyuan City,Taiwan.

PRINTED WITH SOY INK

Since 1961

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

Pressing

Automatic Pressing Conveyor

Model	APS-100 / APS-200 / APS-300
Capacity	100KG Dry Beans/Hour / 200KG Dry Beans/Hour / 300KG Dry Beans/Hour

Features

- Automatic positioning, programmable sequency control.
- Adjustable speed and pressure.
- Can be connect to front stage of stacking and mold-in device.
- Can be connected to cutting equipment of Mold-reversing Conveyor.

Automatic Rotary Press Machine

Model	APS-8R / APS-10R / APS-12R
Capacity	100KG Dry Beans/Hour / 200KG Dry Beans/Hour / 300KG Dry Beans/Hour

Features

- Separating and multi-stages. Time setup control.
- Pressing process is continuous; air pressure will not interrupt by moving press conveyor.Save 50% of air consumption.
- Save air pressure, economic and energy saving.



TEL : 886-3-362-1848 FAX : 886-3-362-2907 www.tati.com.tw
No.8,Alley 13,Lane 183,Yu-Shan Street Taoyuan Dist,Taoyuan City,Taiwan.

PRINTED WITH SOY INK

Since 1961

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

Cutting

Automatic Box Feeding,Cutting and Box Into Machine

Model	ACP-2000 / ACP-3000
Capacity	2000 Box/Hour 3000 Box/Hour

Features

- Auto box feeding, tofu cutting and box-in,to reduce labor costs.
- Auto tofu water cutting, conform to food sanitary standard.
- Auto box sealing machine and pasteurizing and cooling system (optional).

Multi Function Cutting Machine

Model	ACM-3000
Capacity	3000 Box/Hour

Features

- Two-way cutting design, flatness and stable quality.
- Suitable for token, tofu, fried tofu and other different type of products.
- Changeable knife set with different tofu cutting size.



Automatic Cutting and Cooling Conveyor

Model	ACC-4M / ACC-6M
Capacity	2000 Box/Hour 3000 Box/Hour

Features

- Share two products sizes, adjust the knife distancefor easy operation.
- Applicable to different sizes of products, can freely replace the cutting plate and cutter.
- Auto horizontal movement design, easy for tofu picking.

TEL : 886-3-362-1848 FAX : 886-3-362-2907 www.tati.com.tw
No.8,Alley 13,Lane 183,Yu-Shan Street Taoyuan Dist,Taoyuan City,Taiwan.

PRINTED WITH SOY INK

大地興機器廠股份有限公司
TA TI HSING MACHINERY CO., LTD.

台灣 桃園市桃園區玉山街183巷13弄8號
No.8,Alley 13,Lane 183,Yu-Shan Street
Taoyuan Dist,Taoyuan City,Taiwan.
www.tati.com.tw

TA TI HSING
SOYFOOD PROCESSING MACHINERY AND EQUIPMENT

TEL:886-3-362-1848 FAX:886-3-362-2907